

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	162968	(axial\$4) near3 (strain stress load pressure force)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/30 13:11
L2	9323	1 and (mold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/30 13:09
L3	955	2 and (specimen sample testpiece)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/30 13:11
L4	338	3 and (pull\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/30 13:09
L5	39	3 and (pull\$4) near3 (mold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/30 13:10
L6	1	5 and (ram)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/30 13:10
L7	8678	(pull\$4) near3 (mold cement concrete)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/30 13:17
L8	548	7 and (ram)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/30 13:19
L9	38	8 and (axial\$4) near3 (strain stress load pressure force)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/30 13:18

L10	2	9 and (specimen sample testpiece)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/30 13:11
L11	46287	(pull\$4 stretch\$4 extend\$4 extension) near3 (mold cement concrete)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/30 13:22
L12	1363	11 and (axial\$4) near3 (strain stress load pressure force)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/30 13:23
L13	197	12 and (ram)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/30 13:19
L14	95	13 and (load strain stress force pressure) near3 (sens\$4 gauge cell measur\$4 transducer detect\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/30 13:23
L15	67	14 and (displac\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/30 13:21
L16	34	15 and (pressure) near3 (chamber vessel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/30 13:21
L17	391	(pull\$4) near3 (mold cement concrete).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/30 13:23
L18	22	17 and (axial\$4) near3 (strain stress load pressure force)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/30 13:23
L19	6	18 and (load strain stress force pressure) near3 (sens\$4 gauge cell measur\$4 transducer detect\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/30 13:23

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	29988	(cement concrete).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/30 10:20
L2	412	1 and (modulus moduli).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/30 10:26
L3	4	2 and (axial\$4) near3 (strain stress pressure force load).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/30 10:22
L4	70	2 and (axial\$4) near3 (strain stress pressure force load)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/30 10:27
L5	62	4 and (temperature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/30 10:22
L6	59	5 and (sens\$4 detect\$4 transducer measur\$4 gauge cell)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/30 10:23
L7	59	6 and (sens\$4 detect\$4 transducer measur\$4 gauge cell)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/30 10:23
L8	52	7 and (record\$4 storing storing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/30 10:25
L9	3	8 and (cam piston)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/30 10:24

L10	24	"6112599" "5741971"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/30 10:25
L11	34	"3742757" "3577610"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/30 10:25
L12	13	10 and (modulus moduli)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/30 10:33
L13	2	12 and (axial\$4) near3 (strain stress pressure force load)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/30 10:36
L14	1	13 and (cam piston)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/30 10:33
L15	3	11 and (modulus moduli)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/30 10:36
L16	503292	pressure near3 (chamber vessel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/30 10:36
L17	38115	16 and (cement concrete mold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/30 10:36
L18	2012	17 and (axial\$4) near3 (strain stress pressure force load)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/30 10:36
L19	616	18 and (load pressure force strain stress) near3 (cell gauge sens\$4 detect\$4 transducer measur\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/30 10:37

L20	316	19 and (piston)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/30 10:37
L21	54	20 and (cam)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/30 10:38
L22	8	21 and (follower)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/30 10:38